

TRAM 15T Samolepicí fólie Síť A



Tisk možný pouze přes pronajímatele ploch

Obecné informace:

Motiv nesmí obsahovat dopravní značení ani grafické prvky a tvary zaměnitelné s dopravním značením. Motiv nesmí obsahovat propagaci individuální přepravy nebo slogany poškozující DPP.

Informace pro grafika - specifikace podkladů:

Rozměr:	Pro přípravu dat použijte šablonu na straně 3. Prosíme dodržet vypsání specifikace.
Rastry a fotografie:	500 DPI
Texty:	V křivkách
Měřítko:	1:10, jiné měřítka budou vráceny k přepracování
Barevnost:	CMYK
Uložení:	PDF / X-1a s ořezovými značkami a spadem 5 mm po obvodu. Zároveň s daty je nutné dodat zakres motivu na tramvaji na straně 4. "název klienta_šířka x výška". tram_sít A
Pojmenování soub:	
Nátisk:	Bez dodaného nátisku nelze nést záruku za správnou barevnost
Termín dodání:	Nejpozději 14 pracovních dní před datem instalace.
Způsob dodání:	Úschovna, wetranfer atd.. Jako příjemce uveďte svého obchodníka.

Ve zkratce

- tiskové PDF CMYK
- texty v křivkách
- rastry 500 DPI
- ořezové značky
- měřítko 1:10

Parametry vytištěné samolepicí fólie:

Rozměr plakátu:	0,47 x 1,00 m
Rozměr obrazu:	0,47 x 1,00 m
Viditelná plocha:	0,47 x 1,00 m
Gramáž:	95 um
Typ:	Avery 3001 a povrchovou lesklou laminací
Tisk:	4/0
Doplňující info:	

Dodání hotových samolepek:

Místo dodání:	BigBoard Praha, a.s. U trati 3203/ 38a, Praha 10
Termín dodání:	Nejpozději 7 pracovních dní před datem instalace.
Balení:	Nutné řádné zabalení plakátů, aby bylo zabráněno poškození při přepravě.



TRAM 15T Self sticker Network A



General information:

The design must not contain traffic signs or graphic elements and shapes mistakable for traffic signs.
The motive must not contain the promotion of individual transport or slogans defaming the DPP.

Information for graphics - specification of data:

Size:	Use the template on page 3 to prepare hi-res data. Please follow the listed specifications.
Rasters:	500 DPI
Texts:	In curves
Scale:	1:10
Color:	CMYK
Save as:	PDF / X-1a with crop marks and 5 mm bleed by the perimeter. Along with hi-res data, it is necessary to deliver a sketch of the motif on the tram on page 4.
File naming:	"client-name x width x height". Example: tram_network A
Proof:	We cannot guarantee the correct coloring without the proof provided.
Time of delivery:	14 working days prior to installation date, at the latest.
Method of delivery:	Úschovna, wetranfer etc.. Name your merchant as the recipient.

In shortcut

- printable PDF CMYK
- text in curves
- rasters 500 DPI
- crop marks
- scale 1:10

Parameters of printed self-adhesive foil:

Poster dimensions:	0,47 x 1,00 m
Picture dimensions:	0,47 x 1,00 m
Visible area:	0,47 x 1,00 m
Weight:	95 um
Type:	Avery 3001 and surface glossy lamination
Print:	4/0
Add info:	

Delivery of printed posters:

Place of delivery:	BigBoard Praha, a.s. U trati 3203/ 38a, Praha 10
Time of delivery:	7 working days prior to installation date, at the latest.
Packing:	Posters must be packaged to prevent mechanical damage during transport.



TRAM 15T síť A

Šablona pro data 1:10.

Fialová čára je oblast, za kterou nedávat text, logo a jiné důležité sdělení.

Rastro a fotografie rozlišení 500 DPI.

Texty a objekty převést do křivek.

Barevnost CMYK. Prosíme pečlivě zkontrolovat, zda-li nezapomněli nějaké objekty/ fotografie v RGB.

Uložit jako CMYK PDF / X-1a s ořezovými značkami a spadem 5 mm po obvodu.

Data pojmenovat "název šablony_šířka x výška". Příklad: tram_47x100.

Nežte akceptovat vícestránkovou PDF, každý motív musí být uložen samostatně.

Bez dodaného nátiisku nelze nést záruku za správnou barevnost.

TRAM 15T network A

Template for data 1:10.

The purple line is an area beyond which text, logos and other important messages should not be given.

Raster and photo resolution 500 DPI.

Texts and objects convert into curves.

CMYK color scheme. Please check carefully for any RGB objects / photos.

Save as CMYK PDF / X-1a with crop marks and 5 mm fallout by the perimeter.

Name the data "diary-name x width x height". Example: tram_47x100.

Multipage PDFs cannot be accepted, each theme must be saved separately.

We cannot guarantee the correct coloring without the proof provided.

